WHAT IS CLAIMED IS:

1	1. A system for automatically populating medical device data into one or
2	more databases, comprising:
3	a system controller including a processor and a computer readable medium,
4	wherein the computer readable medium includes instructions executable by the processor to:
5	receive a data set comprising objective data collected by a physician,
6	the objective data comprising objective data about a first patient;
7	receive a data set comprising subjective data collected by a physician,
8	the subjective data comprising subjective data about the first patient;
9	automatically validate the objective data and the subjective data, and if
10	valid, populate the objective data and the subjective data into a first database having
11	one or more database records associated with the first patient;
12	receive a first data set from an implantable medical device that is
13	associated with the first patient, the first data set having a first date and time stamp
14	associated with it;
15	receive a second data set from an implantable medical device that is
16	associated with the first patient, the second data set having a second date and time
17	stamp associated with it;
18	populate the first data set into the one or more database records
19	associated with the first patient, wherein the first date and time stamp is configured to
20	act as a first database record locator associated with the first patient; and
21	populate the second data set into the one or more database records
22	associated with the first patient, wherein the second date and time stamp is configured
23	to act as a second database record locator associated with the first patient.
1	2. The system as recited in claim 1, wherein the computer readable
2	medium further comprises instructions executable by the processor to:
3	receive objective data, subjective data and implantable medical device data
4	associated with additional patients; and
5	populate the objective data, subjective data and implantable medical device
6	data into one or more database records of the first database associated with each of the
7	additional patients.

1	3. The system as recited in claim 2, wherein the computer readable
2	medium further comprises instructions executable by the processor to:
3	provide third party access to at least a portion of the first database.
1	4. The system as recited in claim 2, wherein the computer readable
2	medium further comprises instructions executable by the processor to:
3	populate a second database with at least a portion of the data from the first
4	database; and
5	provide third party access to at least a portion of the second database.
1	5. The system as recited in claim 2, wherein the computer readable
2	medium further comprises instructions executable by the processor to:
3	populate a second database with at least a portion of the data from the first
4	database; and
5	transmit the second database to one or more third party systems for access.
1	6. The system as recited in claim 1, wherein the first data set and the
2	second data set from the implantable medical device is in a first format, and wherein the
3	computer readable medium further comprises instructions executable by the processor to:
4	convert the first data set and the second data set implantable medical device
5	from the first format to a second format; and
6	automatically populate the first database with data from the second format.
1	7. The system as recited in claim 6, wherein the first format comprises a
2	binary data, and the second format comprises an extensible mark-up language (XML) format.
1	8. The system as recited in claim 1, wherein the computer readable
2	medium further comprises instructions executable by the processor to:
3	validate the first set and the second set of implantable data prior to populating
4	it into the first database.
1	9. A medical information system, comprising:
2	means for receiving objective data and subjective data collected by a physician
3	about a first patient;

4	means for populating the objective data and the subjective data into a first
5	database having one or more database records associated with the first patient;
6	means for receiving a first data set and a second data set from an implantable
7	medical device that is associated with the first patient, the first data set having a first date and
8	time stamp associated with it, and the second data set having a second date and time stamp
9	associated with it;
10	means for populating the first data set into the one or more database records
11	associated with the first patient, wherein the first date and time stamp is configured to act as a
12	first database record locator associated with the first patient; and
13	means for populating the second data set into the one or more database records
14	associated with the first patient, wherein the second date and time stamp is configured to act
15	as a second database record locator associated with the first patient.
1	10. The system as recited in claim 9, wherein the computer readable
2	medium further comprises instructions executable by the processor to:
3	receive objective data, subjective data and implantable medical device data
4	associated with additional patients; and
5	populate the objective data, subjective data and implantable medical device
6	data into one or more database records of the first database associated with each of the
7	additional patients.
1	11. The system as recited in claim 10, further comprising:
2	means for providing third party access to at least a portion of the first
3	database.
1	12. The system as recited in claim 10, further comprising:
2	means for populating a second database with at least a portion of the data from
3	the first database; and
4	means for providing third party access to at least a portion of the second
5	database.
1	12 The sentence of modes discussed in the first to the first terms of the sentence of the sent
1	13. The system as recited in claim 10, further comprising:
2	means for populating a second database with at least a portion of the data from the first database; and
3	the hist database: and

4	means for transmitting the second database to one or more third party systems
5	for access.
1	14. The system as recited in claim 9, wherein the first data set and the
2	second data set from the implantable medical device is in a first format, and wherein the
3	system further comprises:
4	means for converting the first data set and the second data set implantable
5	medical device from the first format to a second format; and
6	means for automatically populating the first database with data from the
7	second format.
1	15. The system as recited in claim 14, wherein the first format comprises a
2	binary data, and the second format comprises an extensible mark-up language (XML) format
1	16. The system as recited in claim 9, further comprising:
2	means for validating the objective data and the subjective data prior to
3	populating it into the first database.
1	17. The system as recited in claim 9, further comprising:
2	means for validating the first set and the second set of implantable data prior
3	to populating it into the first database.
1	18. A system for automatically populating medical data into a database,
2	comprising:
3	a microprocessor based controller;
4	a computer readable medium, wherein the computer readable medium include
5	instructions executable by the microprocessor based controller to:
6	receive a first data set from an implantable medical device that is
7	associated with a first patient, the first data set having a first date and time stamp
8	associated with it;
9	receive a second data set from an implantable medical device that is
10	associated with the first patient, the second data set having a second date and time
11	stamp associated with it;
12	automatically populate the first data set into a first database having one
13	or more database records associated with the first patient, wherein the first date and

14 time stamp is configured to act as a first database record locator associated with the 15 first patient; and automatically populate the second data set into the first database 16 17 having one or more database records associated with the first patient, wherein the second date and time stamp is configured to act as a second database record locator 18 19 associated with the first patient. 19. 1 The system as recited in claim 18, wherein the computer readable 2 medium further comprises instructions executable by the microprocessor based controller to: 3 receive objective data and subjective data collected by a physician about the 4 first patient; and 5 automatically populate the objective data and the subjective data into the first 6 database having one or more database records associated with the first patient. 20. 1 The system as recited in claim 19, wherein the computer readable 2 medium further comprises instructions executable by the microprocessor based controller to: 3 validate the objective data and the subjective data prior to automatically 4 populating it into the first database. 1 21. The system as recited in claim 19, wherein the computer readable 2 medium further comprises instructions executable by the microprocessor based controller to: 3 receive objective data, subjective data and implantable medical device data 4 associated with additional patients; and populate the objective data, subjective data and implantable medical device 5 6 data into one or more database records of the first database associated with each of the 7 additional patients. 1 22. The system as recited in claim 21, wherein the computer readable 2 medium further comprises instructions executable by the microprocessor based controller to: 3 provide third party access to at least a portion of the first database. 1 23. The system as recited in claim 21, wherein the computer readable 2 medium further comprises instructions executable by the microprocessor based controller to: 3 populate a second database with at least a portion of the data from the first 4 database; and

5	provide third party access to at least a portion of the second database.
1	24. The system as recited in claim 21, wherein the computer readable
2	medium further comprises instructions executable by the microprocessor based controller to:
3	populate a second database with at least a portion of the data from the first
4	database; and
5	transmit the second database to one or more third party systems for access.
1	25. The system as recited in claim 18, wherein the first data set and the
2	second data set from the implantable medical device is in a first format, and wherein the
3	computer readable medium further comprises instructions executable by the microprocessor
4	based controller to:
5	convert the first data set and the second data set implantable medical device
6	from the first format to a second format; and
7	automatically populate the first database with data from the second format.
1	26. The system as recited in claim 25, wherein the first format comprises a
2	binary data, and the second format comprises an extensible mark-up language (XML) format
1	27. The system as recited in claim 18, wherein the computer readable
2	medium further comprises instructions executable by the microprocessor based controller to:
3	validate the first set and the second set of implantable data prior to populating
4	it into the first database.
1	28. A method for automatically populating medical data into a database,
2	the method comprising:
3	receiving a first data set from an implantable medical device that is associated
4	with a first patient, the first data set having a first date and time stamp associated with it;
5	receiving a second data set from an implantable medical device that is
6	associated with the first patient, the second data set having a second date and time stamp
7	associated with it;
8	automatically populating the first data set into a first database having one or
9	more database records associated with the first patient, wherein the first date and time stamp
10	is configured to act as a first database record locator associated with the first patient; and

11	automatically populating the second data set into the first database having one
12	or more database records associated with the first patient, wherein the second date and time
13	stamp is configured to act as a second database record locator associated with the first patient
1	29. The method as recited in claim 28, further comprising:
2	receiving objective data and subjective data collected by a physician about the
3	first patient; and
4	automatically populating the objective data and the subjective data into the
5	first database having one or more database records associated with the first patient.
1	30. The method as recited in claim 29, further comprising:
2	validating the objective data and the subjective data prior to automatically
3	populating it into the first database.
1	31. The method as recited in claim 29, further comprising:
2	receiving objective data, subjective data and implantable medical device data
3	associated with additional patients; and
4	populating the objective data, subjective data and implantable medical device
5	data into one or more database records of the first database associated with each of the
6	additional patients.
1	32. The method as recited in claim 31, further comprising:
2	providing third party access to at least a portion of the first database.
1	33. The method as recited in claim 31, further comprising:
2	populating a second database with at least a portion of the data from the first
3	database; and
4	providing third party access to at least a portion of the second database.
1	34. The method as recited in claim 31, further comprising:
2	populating a second database with at least a portion of the data from the first
3	database; and
4	transmitting the second database to one or more third party systems for access

1	35. The method as recited in claim 28, wherein the first data set and the
2	second data set from the implantable medical device is in a first format, and wherein the
3	method further comprises:
1	converting the first data set and the second data set implantable medical device
5	from the first format to a second format; and
5	automatically populating the first database with data from the second format.
1	36. The method as recited in claim 35, wherein the first format comprises a
2	binary data, and the second format comprises an extensible mark-up language (XML) format.
1	37. The method as recited in claim 28, further comprising:
2	validating the first set and the second set of implantable data prior to
3	populating it into the first database.